

2010

- Chong, C.W., D.A. Pearce, P. Convey, G.Y.A. Tan, R.C.S. Wong and I.K.P. Tan. 2010. High levels of spatial heterogeneity in the biodiversity of soil prokaryotes on Signy Island, Antarctica. *Soil Biol. Biochem.*, 42: 601-610.
- Dunn, M. J., J. R. D. Silk and P. N. Trathan. 2010. Post-breeding dispersal of Adélie penguins (*Pygoscelis adeliae*) nesting at Signy Island, South Orkney Islands. *Polar Biol.*, online, DOI 10.1007/s00300-010-0870-4.
- Favero-Longo, S.E., N. Cannone, M.R. Worland, P. Convey, R. Piervittori and M. Guglielmin. 2010. Changes in lichen vegetation with fur seal population increase on Signy Island (South Orkney Islands, Maritime Antarctic). *Antarct. Sci.*, 10, doi: 10.1017/S0954102010000684
- Hughes, K.A. and M.R. Worland. 2010. Spatial distribution, habitat preference and colonization status of two alien terrestrial invertebrate species in Antarctica. *Antarct. Sci.*, 22: 221-231.
- Waluda, C.M., S. Gregory and M.J. Dunn. 2010. Long-term variability in the abundance of Antarctic fur seals *Arctocephalus gazella* at Signy Island, South Orkneys. *Polar Biol.*, 33: 305-312.
- Worland, M.R. 2010. *Eretmoptera murphyi*: pre-adapted to survive a colder climate. *Physiol. Entomol.*, 35: 140-147.

2000 - 2009

- Block, W., R.I.L. Smith and A.D. Kennedy. 2009. Strategies of survival and resource exploitation in the Antarctic fellfield ecosystem. *Biol. Rev.*, 84: 449-484.
- Chong, C.W., M.J. Dunn, P. Convey, G.Y.A. Tan, R.C.S. Wong and I.K.P. Tan. 2009. Environmental influences on bacterial diversity of soils on Signy Island, maritime Antarctic. *Polar Biol.*, 32: 1571-1582.
- Forcada, J. and P.N. Trathan. 2009. Penguin responses to climate change in the Southern Ocean. *Global Change Biol.*, 15: 1618-1630.
- Morley, S.A., T. Hirse, H.O. Portner and L.S. Peck. 2009. Geographical variation in thermal tolerance within Southern Ocean marine ectotherms. *Comp. Biochem. Physiol. A*, 153: 154-161.
- Morley, S.A., G.J. Lurman, J.N. Skepper, H.O. Portner and L.S. Peck. 2009. Thermal plasticity of mitochondria: A latitudinal comparison between Southern Ocean molluscs. *Comp. Biochem. Physiol. A*, 152: 423-430.
- Rinnan, R., J. Rousk, E. Yergeau, G.A. Kowalchuk and E. Baath. 2009. Temperature adaptation of soil bacterial communities along an Antarctic climate gradient: predicting responses to climate warming. *Global Change Biol.*, 15: 2615-2625.
- Roberts, P., K.K. Newsham, R.D. Bardgett, J.F. Farrar and D.L. Jones. 2009. Vegetation cover regulates the quantity, quality and temporal dynamics of dissolved organic carbon and nitrogen in Antarctic soils. *Polar Biol.*, 32: 999-1008.
- Bokhorst, S., A. Huiskes, P. Convey, P.M. van Bodegom and R. Aerts. 2008. Climate change effects on soil arthropod communities from the Falkland Islands and the Maritime Antarctic. *Soil Biol. Biochem.*, 40: 1547-1556.
- Bridge, P.D., K.K. Newsham and G.J. Denton. 2008. Snow mould caused by a *Pythium* sp.: a potential vascular plant pathogen in the maritime Antarctic. *Plant Pathol.*, 57: 1066-1072.
- Convey, P. 2008. Non-native species in Antarctic terrestrial and freshwater environments: presence, sources, impacts and predictions, In M. Rogan-Finnemore, ed. *Non-native species in the Antarctic Proceedings*. Gateway Antarctica, Christchurch: p. 97-130.
- Forcada, J., P.N. Trathan and E.J. Murphy. 2008. Life history buffering in Antarctic mammals and birds against changing patterns of climate and environmental variation. *Global Change Biol.*, 14: 2473-2488.
- Guglielmin, M., C.J.E. Evans and N. Cannone. 2008. Active layer thermal regime under different vegetation conditions in permafrost areas. A case study at Signy Island (Maritime Antarctica). *Geoderma*, 144: 73-85.

- Ritz, M.S., C. Millar, G.D. Miller, R.A. Phillips, P. Ryan, V. Sternkopf, D. Liebers-Helbig and H.U. Peter. 2008. Phylogeography of the southern skua complex-rapid colonization of the southern hemisphere during a glacial period and reticulate evolution. *Mol. Phylogen. Evol.*, 49: 292-303.
- Sands, C.J., P. Convey, K. Linse and S.J. McInnes. 2008. Assessing meiofaunal variation among individuals utilising morphological and molecular approaches: an example using the Tardigrada. *BMC Ecol.*, 8: Article No.: 7.
- Yergeau, E. and G.A. Kowalchuk. 2008. Responses of Antarctic soil microbial communities and associated functions to temperature and freeze-thaw cycle frequency. *Environ. Microbiol.*, 10: 2223-2235.
- Bokhorst, S., A. Huiskes, P. Convey and R. Aerts. 2007. Climate change effects on organic matter decomposition rates in ecosystems from the Maritime Antarctic and Falkland Islands. *Global Change Biol.*, 13: 2642-2653.
- Bokhorst, S., A. Huiskes, P. Convey and R. Aerts. 2007. The effect of environmental change on vascular plant and cryptogam communities from the Falkland Islands and the Maritime Antarctic. *BMC Ecol.*, 7: 15.
- Bokhorst, S., A. Huiskes, P. Convey and R. Aerts. 2007. External nutrient inputs into terrestrial ecosystems of the Falkland Islands and the Maritime Antarctic region. *Polar Biol.*, 30: 1315-1321.
- Bokhorst, S., C. Ronfort, A. Huiskes, P. Convey and R. Aerts. 2007. Food choice of Antarctic soil arthropods clarified by stable isotope signatures. *Polar Biol.*, 30: 983-990.
- Bridge, P.D. and G.J. Denton. 2007. Isolation of diverse viable fungi from the larvae of the introduced chironomid *Eretmoptera murphyi* on Signy Island. *Polar Biol.*, 30: 935-937.
- Gibson, J.A.E. and I.A.E. Bayly. 2007. New insights into the origins of crustaceans of Antarctic lakes. *Antarct. Sci.*, 19: 157-163.
- Peat, H.J., A. Clarke and P. Convey. 2007. Diversity and biogeography of the Antarctic flora. *J. Biogeogr.*, 34: 132-146.
- Sato, K., Y. Watanuki, A. Takahashi, P.J.O. Miller, H. Tanaka, R. Kawabe, P.J. Ponganis, Y. Handrich, T. Akamatsu, Y. Watanabe, Y. Mitani, D.P. Costa, C.A. Bost, K. Aoki, M. Amano, P. Trathan, A. Shapiro and Y. Naito. 2007. Stroke frequency, but not swimming speed, is related to body size in free-ranging seabirds, pinnipeds and cetaceans. *Proc. R. Soc. Lond., Ser. B: Biol. Sci.*, 274: 471-477.
- Yergeau, E., K.K. Newsham, D.A. Pearce and G.A. Kowalchuk. 2007. Patterns of bacterial diversity across a range of Antarctic terrestrial habitats. *Environ. Microbiol.*, 9: 2670-2682.
- Boelen, P., M.K. de Boer, N.V.J. de Bakker and J. Rozema. 2006. Outdoor studies on the effects of solar UV-B on bryophytes: Overview and methodology. *Plant Ecol.*, 182: 137-152.
- Cannone, N., J.C.E. Evans, R. Strachan and M. Guglielmin. 2006. Interactions between climate, vegetation and the active layer in soils at two Maritime Antarctic sites. *Antarct. Sci.*, 18: 323-333.
- Convey, P. 2006. Antarctic terrestrial ecosystems; responses to environmental change. *Polarforschung*, 75: 101-111.
- Convey, P., Y. Frenot, N. Gremmen and D.M. Bergstrom. 2006. Biological invasions, In D. M. Bergstrom, P. Convey and A. H. L. Huiskes, eds. *Trends in Antarctic Terrestrial and Limnetic Ecosystems: Antarctica as a Global Indicator*. Springer, Dordrecht: p. 193-220.
- Convey, P. and R.I.L. Smith. 2006. Responses of terrestrial Antarctic ecosystems to climate change. *Plant Ecol.*, 182: 1-10.
- Forcada, J., P.N. Trathan, K. Reid, E.J. Murphy and J.P. Croxall. 2006. Contrasting population changes in sympatric penguin species in association with climate warming. *Global Change Biol.*, 12: 411-423.
- Gobin, J.F. and R.M. Warwick. 2006. Geographical variation in species diversity: A comparison of marine polychaetes and nematodes. *J. Exp. Mar. Biol. Ecol.*, 330: 234-244.
- Hodson, A. 2006. Biogeochemistry of snowmelt in an Antarctic glacial ecosystem. *Water Resources Research*, 42, 10.1029/2005wr004311.
- Linse, K., D.K.A. Barnes and P. Enderlein. 2006. Body size and growth of benthic invertebrates along an Antarctic latitudinal gradient. *Deep Sea Res. (II Top. Stud. Oceanogr.)*, 53: 921-931.
- Quayle, W.C. and P. Convey. 2006. Concentration, molecular weight distribution and neutral sugar composition of DOC in maritime Antarctic lakes of differing trophic status. *Aquat. Geochem.*, 12: 161-178.
- Reid, K., D. Davis and I.J. Staniland. 2006. Spatial and temporal variability in the fish diet of Antarctic fur seal (*Arctocephalus gazella*) in the Atlantic sector of the Southern Ocean. *Can. J. Zool./Rev. Can. Zool.*, 84: 1025-1037.

- Barnes, D.K.A. 2005. Changing chain: past, present and future of the Scotia Arc's and Antarctica's shallow benthic communities. *Sci. Mar.*, 69: 65-89.
- Barnes, D.K.A. and P. Convey. 2005. Odyssey of stow-away noctuid moths to southern polar islands. *Antarct. Sci.*, 17: 307-311.
- Barnes, D.K.A. and P. Kuklinski. 2005. Bipolar patterns of intraspecific competition in bryozoans. *Mar. Ecol. Prog. Ser.*, 285: 75-87.
- Butler, H., A. Atkinson and M. Gordon. 2005. Omnivory and predation impact of the calanoid copepod *Boeckella poppei* in a maritime Antarctic lake. *Polar Biol.*, 28: 815-821.
- Frenot, Y., S.L. Chown, J. Whinam, P.M. Selkirk, P. Convey, M. Skotnicki and D.M. Bergstrom. 2005. Biological invasions in the Antarctic: extent, impacts and implications. *Biol. Rev.*, 80: 45-72.
- Garstecki, T., S. Brown and J.F. De Jonckheere. 2005. Description of *Vahlkampfia signyensis* n. sp (Heterolobosea), based on morphological, ultrastructural and molecular characteristics. *Eur. J. Protistol.*, 41: 119-127.
- Hodgson, D.A. and P. Convey. 2005. A 7000-year record of oribatid mite communities on a maritime-Antarctic island: Responses to climate change. *Arct. Antarct. Alp. Res.*, 37: 239-245.
- Malosso, E., L. English, D.W. Hopkins and A.G. O'Donnell. 2005. Community level physiological profile response to plant residue additions in Antarctic soils. *Biology and Fertility of Soils*, 42: 60-65.
- Moosvi, S.A., I.R. McDonald, D.A. Pearce, D.P. Kelly and A.P. Wood. 2005. Molecular detection and isolation from Antarctica of methylotrophic bacteria able to grow with methylated sulfur compounds. *Syst. Appl. Microbiol.*, 28: 541-554.
- Moosvi, S.A., C.C. Pacheco, I.R. McDonald, P. De Marco, D.A. Pearce, D.P. Kelly and A.P. Wood. 2005. Isolation and properties of methanesulfonate-degrading *Afipia felis* from Antarctica and comparison with other strains of *A. felis*. *Environ. Microbiol.*, 7: 22-33.
- Pearce, D.A., C.J. van der Gast, K. Woodward and K.K. Newsham. 2005. Significant changes in the bacterioplankton community structure of a maritime Antarctic freshwater lake following nutrient enrichment. *Microbiology-Sgm*, 151: 3237-3248.
- Peck, L.S. 2005. Prospects for survival in the Southern Ocean: vulnerability of benthic species to temperature change. *Antarct. Sci.*, 17: 497-507.
- Peck, L.S., D.K.A. Barnes and J. Willmott. 2005. Responses to extreme seasonality in food supply: diet plasticity in Antarctic brachiopods. *Mar. Biol.*, 147: 453-463.
- Smith, R.I.L. 2005. Bryophyte diversity and ecology of two geologically contrasting Antarctic islands. *J. Bryol.*, 27: 195-206.
- Stallwood, B., J. Shears, P.A. Williams and K.A. Hughes. 2005. Low temperature bioremediation of oil-contaminated soil using biostimulation and bioaugmentation with a *Pseudomonas* sp from maritime Antarctica. *J. Appl. Microbiol.*, 99: 794-802.
- Walker, T.R. 2005. Distribution of oxygen, sulfides and optimum temperature for sulfate reduction in Antarctic marine sediments. *Polish Polar Res.*, 26: 215-230.
- Walker, T.R. 2005. Vertical organic inputs and bio-availability of carbon in an Antarctic coastal sediment. *Polish Polar Res.*, 26: 91-106.
- Barnes, D.K.A., N.L. Warren, K. Webb, B. Phalan and K. Reid. 2004. Polar pedunculate barnacles piggy-back on pycnogona, penguins, pinniped seals and plastics. *Mar. Ecol. Prog. Ser.*, 284: 305-310.
- Clarke, A., E. Prothero-Thomas, J.C. Beaumont, A.L. Chapman and T. Brey. 2004. Growth in the limpet *Nacella concinna* from contrasting sites in Antarctica. *Polar Biol.*, 28: 62-71.
- Lynnes, A.S., K. Reid and J.P. Croxall. 2004. Diet and reproductive success of Adelie and chinstrap penguins: linking response of predators to prey population dynamics. *Polar Biol.*, 27: 544-554.
- Newsham, K.K., J. Rolf, D.A. Pearce and R.J. Strachan. 2004. Differing preferences of Antarctic soil nematodes for microbial prey. *Eur. J. Soil Biol.*, 40: 1-8.
- Peck, L.S., A.D. Ansell, K.E. Webb, L. Hepburn and M. Burrows. 2004. Movements and burrowing activity in the Antarctic bivalve molluscs *Laternula elliptica* and *Yoldia eightsi*. *Polar Biol.*, 27: 357-367.
- Reid, K., M.J. Jessopp, M.S. Barrett, S. Kawaguchi, V. Siegel and M.E. Goebel. 2004. Widening the net: spatio-temporal variability in the krill population structure across the Scotia Sea. *Deep Sea Res. (II Top. Stud. Oceanogr.)*, 51: 1275-1287.
- Takahashi, A., M.J. Dunn, P.N. Trathan, J.P. Croxall, R.P. Wilson, K. Sato and Y. Naito. 2004. Krill-feeding behaviour in a Chinstrap Penguin *Pygoscelis antarctica* compared with fish-eating in Magellanic Penguins *Spheniscus magellanicus*: A pilot study. *Mar. Ornithol.*, 32: 47-54.

- Takahashi, A., K. Sato, Y. Naito, M.J. Dunn, P.N. Trathan and J.P. Croxall. 2004. Penguin-mounted cameras glimpse underwater group behaviour. *Proc. R. Soc. Lond., Ser. B: Biol. Sci.*, 271: S281-S282.
- Arnold, R.J., P. Convey, K.A. Hughes and D.D. Wynn-Williams. 2003. Seasonal periodicity of physical factors, inorganic nutrients and microalgae in Antarctic fellfields. *Polar Biol.*, 26: 396-403.
- Barnes, D.K.A. and P. Kuklinski. 2003. Bipolar patterns of intraspecific competition and prevalence of homosyndrome. *Bol. Soc. Biol. Concepcion*, 74: 39.
- Cannone, N. and M. Guglielmin. 2003. Vegetation and permafrost: sensitive systems for the development of a monitoring program of climate change along an Antarctic transect. *Antarctic Biology in a Global Context, Proceedings*: 31-36.
- Convey, P. 2003. Maritime Antarctic climate change: Signals from terrestrial biology, In E. Domack, A. Burnett, A. Leventer, P. Convey, M. Kirby and R. Bindschadler, eds. *Antarctic Peninsula Climate Variability: Historical and Paleoenvironmental Perspectives*. American Geophysical Union: p. 145-158.
- Convey, P., W. Block and H.J. Peat. 2003. Soil arthropods as indicators of water stress in Antarctic terrestrial habitats? *Global Change Biol.*, 9: 1718-1730.
- Ellis-Evans, J.C. and P.R. Bayliss. 2003. An assessment of carbon oxidation processes in contrasting maritime Antarctic lakes. *Antarctic Biology in a Global Context, Proceedings*: 37-42.
- Holderegger, R., I. Stehlik, R.I.L. Smith and R.J. Abbott. 2003. Populations of Antarctic hairgrass (*Deschampsia antarctica*) show low genetic diversity. *Arct. Antarct. Alp. Res.*, 35: 214-217.
- McInnes, S.J. 2003. A predatory fungus (Hyphomycetes : Lecophagus) attacking Rotifera and Tardigrada in maritime Antarctic lakes. *Polar Biol.*, 26: 79-82.
- Noon, P.E., M.J. Leng and V.J. Jones. 2003. Oxygen-isotope ($\delta O-18$) evidence of Holocene hydrological changes at Signy Island, maritime Antarctica. *Holocene*, 13: 251-263.
- Pearce, D.A. 2003. Bacterioplankton community structure in a maritime Antarctic oligotrophic lake during a period of holomixis, as determined by denaturing gradient gel electrophoresis (DGGE) and fluorescence in situ hybridization (FISH). *Microb. Ecol.*, 46: 92-105, 10.1007/s00248-002-2039-3.
- Quayle, W.C., P. Convey, L.S. Peck, C.J. Ellis-Evans, H.G. Butler and H.J. Peat. 2003. Ecological responses of maritime Antarctic Lakes to regional climate change, In E. Domack, A. Burnett, A. Leventer, P. Convey, M. Kirby and R. Bindschadler, eds. *Antarctic Peninsula Climate Variability: Historical and Paleoenvironmental Perspectives*, Vol. 79. American Geophysical Union: p. 159-170.
- Takahashi, A., M.J. Dunn, P.N. Trathan, K. Sato, Y. Naito and J.P. Croxall. 2003. Foraging strategies of chinstrap penguins at Signy Island, Antarctica: importance of benthic feeding on Antarctic krill. *Mar. Ecol. Prog. Ser.*, 250: 279-289.
- Takahashi, A., M.J. Dunn, P.N. Trathan, K. Sato, Y. Naito and J.P. Croxall. 2003. Foraging strategies of chinstrap penguins at Signy Island, Antarctica: Importance of benthic feeding on Antarctic Krill. *Zool. Sci. (Tokyo)*, 20: 1525-1526.
- Convey, P., D.K.A. Barnes and A. Morton. 2002. Debris accumulation on oceanic island shores of the Scotia Arc, Antarctica. *Polar Biol.*, 25: 612-617.
- Johnstone, C., W. Block, E.E. Benson, J.G. Day, H. Staines and J.B. Illian. 2002. Assessing methods for collecting and transferring viable algae from Signy Island, maritime Antarctic, to the United Kingdom. *Polar Biol.*, 25: 553-556.
- Kotov, A.A., J.C. Paggi and M. Elias-Gutierrez. 2002. Redescription of *Ilyocryptus brevidentatus* Ekman, 1905 (Anomopoda, Cladocera, Branchiopoda). *Hydrobiologia*, 481: 1-18.
- Lynnes, A.S., K. Reid, J.P. Croxall and P.N. Trathan. 2002. Conflict or co-existence? Foraging distribution and competition for prey between Adelie and chinstrap penguins. *Mar. Biol.*, 141: 1165-1174.
- Lynnes, A.S. and P.G. Rodhouse. 2002. A big mouthful for predators: The largest recorded specimen of *Kondakovia longimana* (Cephalopoda : Onychoteuthidae). *Bull. Mar. Sci.*, 71: 1087-1090.
- Noon, P.E., M.J. Leng, C. Arrowsmith, M.G. Edworthy and R.J. Strachan. 2002. Seasonal observations of stable isotope variations in a valley catchment, Signy Island, South Orkney Islands. *Antarct. Sci.*, 14: 333-342.
- Peck, L.S. 2002. Ecophysiology of Antarctic marine ectotherms: limits to life. *Polar Biol.*, 25: 31-40.
- Quayle, W.C., L.S. Peck, H. Peat, J.C. Ellis-Evans and P.R. Harrigan. 2002. Extreme responses to climate change in Antarctic lakes. *Science*, 295: 645-645.
- Smith, R.I.L. and P. Convey. 2002. Enhanced sexual reproduction in bryophytes at high latitudes in the maritime Antarctic. *Journal of Bryology*, 24: 107-117.

- Walther, G.R., E. Post, P. Convey, A. Menzel, C. Parmesan, T.J.C. Beebee, J.M. Fromentin, O. Hoegh-Guldberg and F. Bairlein. 2002. Ecological responses to recent climate change. *Nature*, 416: 389-395.
- Barnes, D.K.A. and R. Arnold. 2001. A growth cline in encrusting benthos along a latitudinal gradient within Antarctic waters. *Mar. Ecol. Prog. Ser.*, 210: 85-91.
- Block, W. and P. Convey. 2001. Seasonal and long-term variation in body-water content of an Antarctic springtail - a response to climate change? *Polar Biol.*, 24: 764-770.
- Convey, P. 2001. Terrestrial ecosystem responses to climate changes in the Antarctic. *Fingerprints of Climate Change*: 17-42.
- Gutt, J. 2001. On the direct impact of ice on marine benthic communities, a review. *Polar Biol.*, 24: 553-564.
- Johnstone, C., W. Block, E.E. Benson and H. Staines. 2001. Comparing the effect of different field collection and storage methods on algae collected from Signy Island, Antarctica. *Cryo Letters*, 22: 90.
- Lee, H.J., S. Vanhove, L.S. Peck and M. Vincx. 2001. Recolonisation of meiofauna after catastrophic iceberg scouring in shallow Antarctic sediments. *Polar Biol.*, 24: 918-925.
- Marshall, D.J., B.M. Oconnor and P.J.A. Pugh. 2001. *Neohyadesia microtricha* (Acari : Astigmata : Algophagidae): a new species from the Sub-Antarctic. *Polar Biol.*, 24: 101-104.
- Noon, P.E., H.J.B. Birks, V.J. Jones and J.C. Ellis-Evans. 2001. Quantitative models for reconstructing catchment ice-extent using physical-chemical characteristics of lake sediments. *J. Paleolimnol.*, 25: 375-392.
- Peck, L.S. and R. Veal. 2001. Feeding, metabolism and growth in the Antarctic limpet, *Nacella concinna* (Strebel 1908). *Mar. Biol.*, 138: 553-560.
- Ansell, A.D. and L.S. Peck. 2000. Burrowing in the Antarctic anemone, *Halcampoides* sp., from Signy Island, Antarctica. *J. Exp. Mar. Biol. Ecol.*, 252: 45-55.
- Butler, H.G., M.G. Edworthy and J.C. Ellis-Evans. 2000. Temporal plankton dynamics in an oligotrophic maritime Antarctic lake. *Freshwat. Biol.*, 43: 215-230.
- Jones, V.J., D.A. Hodgson and A. Chepstow-Lusty. 2000. Palaeolimnological evidence for marked Holocene environmental changes on Signy Island, Antarctica. *Holocene*, 10: 43-60.
- Montiel, P.O. 2000. Soluble carbohydrates (trehalose in particular) and cryoprotection in polar biota. *Cryo-Letters*, 21: 83-90.
- Peck, L.S., J.G. Colman and A.W.A. Murray. 2000. Growth and tissue mass cycles in the infaunal bivalve *Yoldia eightsi* at Signy Island, Antarctica. *Polar Biol.*, 23: 420-428.
- Vanhove, S., M. Beghyn, D. Van Gansbeke, L.W. Bullough and M. Vincx. 2000. A seasonally varying biotope at Signy Island, Antarctic: implications for meiofaunal structure. *Mar. Ecol. Prog. Ser.*, 202: 13-25.
- Weinstein, R.N., P.O. Montiel and K. Johnstone. 2000. Influence of growth temperature on lipid and soluble carbohydrate synthesis by fungi isolated from fellfield soil in the maritime Antarctic. *Mycologia*, 92: 222-229.
- Wilson, W.H., D. Lane, D.A. Pearce and J.C. Ellis-Evans. 2000. Transmission electron microscope analysis of virus-like particles in the freshwater lakes of Signy Island, Antarctica. *Polar Biol.*, 23: 657-660.
- Worland, M.R. and A. Lukesova. 2000. The effect of feeding on specific soil algae on the cold-hardiness of two Antarctic micro-arthropods (*Alaskozetes antarcticus* and *Cryptopygus antarcticus*). *Polar Biol.*, 23: 766-774.

1990 - 1999

- Barnes, D.K.A. 1999. Do life patterns differ between two Scotia Arc localities? A preliminary investigation of three erect Antarctic bryozoan species. *Antarct. Sci.*, 11: 275-282.
- Barnes, D.K.A. 1999. The influence of ice on polar nearshore benthos. *J. Mar. Biol. Assoc. U.K.*, 79: 401-407.
- Barnes, D.K.A. and R.J. Arnold. 1999. Possible latitudinal dines in Antarctic intertidal and subtidal zone communities encrusting ephemeral hard substrata. *J. Biogeogr.*, 26: 207-213.
- Butler, H.G. 1999. Seasonal dynamics of the planktonic microbial community in a maritime Antarctic lake undergoing eutropication. *J. Plankton Res.*, 21: 2393-2419.
- Butler, H.G. 1999. Temporal plankton dynamics in a maritime Antarctic lake. *Arch. Hydrobiol.*, 146: 311-339.
- Key, M.M. and D.K.A. Barnes. 1999. Bryozoan colonization of the marine isopod *Glyptonotus antarcticus* at Signy Island, Antarctica. *Polar Biol.*, 21: 48-55.

- McInnes, S.J. and P.J.A. Pugh. 1999. Zonation in Antarctic lake-dwelling benthic meiofauna, with emphasis on the Tardigrada. *Zool. Anz.*, 238: 283-288.
- Ochyra, R. and R.I. Lewis-Smith. 1999. *Meesia uliginosa* Hedw. (Musci, Meesiaceae) in Antarctica. *Cryptogamie: Bryol.*, 20: 5-10.
- Peck, L.S., S. Brockington, S. Vanhove and M. Beghyn. 1999. Community recovery following catastrophic iceberg impacts in a soft-sediment shallow-water site at Signy Island, Antarctica. *Mar. Ecol. Prog. Ser.*, 186: 1-8.
- Stanwell-Smith, D., L.S. Peck, A. Clarke, A.W.A. Murray and C.D. Todd. 1999. The distribution, abundance and seasonality of pelagic marine invertebrate larvae in the maritime Antarctic. *Philos. Trans. R. Soc. Lond. Ser. B-Biol. Sci.*, 354: 471-484.
- Barnes, D.K.A. and A. Clarke. 1998. Seasonality of polypide recycling and sexual reproduction in some erect Antarctic bryozoans. *Mar. Biol.*, 131: 647-658.
- Cripps, G.C. and A. Clarke. 1998. Seasonal variation in the biochemical composition of particulate material collected by sediment traps at Signy Island, Antarctica. *Polar Biol.*, 20: 414-423.
- Gardiner, M.J., J.C. Ellis-Evans, M.G. Anderson and M. Tranter. 1998. Snowmelt modelling on Signy Island, South Orkney Islands. *Annals of Glaciology*, Vol 26, 1998, 26: 161-166.
- Hodgson, D.A., C.L. Dyson, V.J. Jones and J.L. Smellie. 1998. Tephra analysis of sediments from Midge Lake (South Shetland Islands) and Sombre Lake (South Orkney Islands), Antarctica. *Antarct. Sci.*, 10: 13-20.
- Hodgson, D.A., N.M. Johnston, A.P. Caulkett and V.J. Jones. 1998. Palaeolimnology of Antarctic fur seal *Arctocephalus gazella* populations and implications for Antarctic management. *Biol. Conserv.*, 83: 145-154.
- Kallenborn, R., M. Oehme, D.D. Wynn-Williams, M. Schlabach and J. Harris. 1998. Ambient air levels and atmospheric long-range transport of persistent organochlorines to Signy Island, Antarctica. *Sci. Total Environ.*, 220: 167-180.
- Marshall, W.A. 1998. Aerial transport of keratinaceous substrate and distribution of the fungus *Geomyces pannorum* in Antarctic soils. *Microb. Ecol.*, 36: 212-219.
- Meidlinger, K., P.A. Tyler and L.S. Peck. 1998. Reproductive patterns in the Antarctic brachiopod *Liothyrella uva*. *Mar. Biol.*, 132: 153-162.
- Montiel, P.O. 1998. Profiles of soluble carbohydrates and their adaptive role in maritime Antarctic terrestrial arthropods. *Polar Biol.*, 19: 250-256.
- Stanwell-Smith, D. and A. Clarke. 1998. Seasonality of reproduction in the cushion star *Odontaster validus* at Signy Island, Antarctica. *Mar. Biol.*, 131: 479-487.
- Stanwell-Smith, D. and A. Clarke. 1998. The timing of reproduction in the Antarctic limpet *Nacella concinna* (Strebel, 1908) (Patellidae) at Signy Island, in relation to environmental variables. *J. Molluscan Stud.*, 64: 123-127.
- Stanwell-Smith, D. and L.S. Peck. 1998. Temperature and embryonic development in relation to spawning and field occurrence of larvae of three Antarctic echinoderms. *Biol. Bull.*, 194: 44-52.
- Vanhove, S., H.J. Lee, M. Beghyn, D. Van Gansbeke, S. Brockington and M. Vincx. 1998. The metazoan meiofauna in its biogeochemical environment: The case of an Antarctic coastal sediment. *J. Mar. Biol. Assoc. U.K.*, 78: 411-434.
- Wagele, H. 1998. Histological investigation of some organs and specialised cellular structures in Opisthobranchia (Gastropoda) with the potential to yield phylogenetically significant characters. *Zool. Anz.*, 236: 119-131.
- Caulkett, A.P. and J.C. Ellis-Evans. 1997. Chemistry of streams of Signy Island, maritime Antarctic: Sources of major ions. *Antarct. Sci.*, 9: 3-11.
- Coggan, R. 1997. Seasonal and annual growth rates in the Antarctic fish *Notothenia coriiceps* Richardson. *J. Exp. Mar. Biol. Ecol.*, 213: 215-229.
- Davey, M.C. and P. Rothery. 1997. Interspecific variation in respiratory and photosynthetic parameters in Antarctic bryophytes. *New Phytol.*, 137: 231-240.
- Dozsa-Farkas, K. and P. Convey. 1997. *Christensenia*, a new terrestrial enchytraeid genus from Antarctica. *Polar Biol.*, 17: 482-486.
- Marshall, W.A. 1997. Seasonality in Antarctic airborne fungal spores. *Appl. Environ. Microbiol.*, 63: 2240-2245.

- Marshall, W.A. and M.O. Chalmers. 1997. Airborne dispersal of Antarctic terrestrial algae and cyanobacteria. *Ecography*, 20: 585-594.
- Marshall, W.A. and P. Convey. 1997. Dispersal of moss propagules on Signy Island, maritime Antarctic. *Polar Biol.*, 18: 376-383.
- Moorhead, D.L., C.F. Wolf and R.A. Wharton. 1997. Impact of light regimes on productivity patterns of benthic microbial mats in an Antarctic lake: A modeling study. *Limnol. Oceanogr.*, 42: 1561-1569.
- Peck, L.S., S. Brockington and T.A. Brey. 1997. Growth and metabolism in the Antarctic brachiopod *Liothyrella uva*. *Philos. Trans. R. Soc. Lond. Ser. B-Biol. Sci.*, 352: 851-858.
- Smith, R.I.L. 1997. Impact of an increasing fur seal population on Antarctic plant communities: Resilience and recovery. *Antarctic communities: Species, structure and survival*: 432-436.
- Stanwell-Smith, D. and D.K.A. Barnes. 1997. Benthic community development in Antarctica: Recruitment and growth on settlement panels at Signy Island. *J. Exp. Mar. Biol. Ecol.*, 212: 61-79.
- Tong, S., N. Vors and D.J. Patterson. 1997. Heterotrophic flagellates, centrohelid heliozoa and filose amoebae from marine and freshwater sites in the Antarctic. *Polar Biol.*, 18: 91-106.
- Weinstein, R.N., M.E. Palm, K. Johnstone and D.D. Wynn-Williams. 1997. Ecological and physiological characterization of *Humicola marvinii*, a new psychrophilic fungus from fellfield soils in the maritime Antarctic. *Mycologia*, 89: 706-711.
- Wynn-Williams, D.D., N.C. Russell and H.G.M. Edwards. 1997. Moisture and habitat structure as regulators for microalgal colonists in diverse Antarctic terrestrial habitats. *Ecosystem Processes in Antarctic Ice-Free Landscapes*: 77-88.
- Barnes, D.K.A. and L.W. Bullough. 1996. Some observations on the diet and distribution of nudibranchs at Signy Island, Antarctica. *J. Molluscan Stud.*, 62: 281-287.
- Barnes, D.K.A. and P. Rothery. 1996. Competition in encrusting Antarctic bryozoan assemblages: Outcomes, influences and implications. *J. Exp. Mar. Biol. Ecol.*, 196: 267-284.
- Barnes, D.K.A., P. Rothery and A. Clarke. 1996. Colonisation and development in encrusting communities from the Antarctic intertidal and sublittoral. *J. Exp. Mar. Biol. Ecol.*, 196: 251-265.
- Bischoff-Basman, B. and C. Wiencke. 1996. Temperature requirements for growth and survival of Antarctic Rhodophyta. *J. Phycol.*, 32: 525-535.
- Block, W. 1996. Cold or drought - The lesser of two evils for terrestrial arthropods? *Eur. J. Entomol.*, 93: 325-339.
- Brouwer, P.E.M. 1996. Decomposition in situ of the sublittoral Antarctic macroalga *Desmarestia anceps* Montagne. *Polar Biol.*, 16: 129-137.
- Brouwer, P.E.M. 1996. *In situ* photosynthesis and estimated annual production of the red macroalga *Myriogramme mangini* in relation to underwater irradiance at Signy Island (Antarctica). *Antarct. Sci.*, 8: 245-252.
- Caulkett, A.P. and J.C. Ellis-Evans. 1996. Origin and composition of settling iron aggregates in oligotrophic Sombre lake, Signy island, Antarctica. *Hydrobiologia*, 330: 177-187.
- Clarke, A. and R.J.G. Leakey. 1996. The seasonal cycle of phytoplankton, macronutrients, and the microbial community in a nearshore Antarctic marine ecosystem. *Limnol. Oceanogr.*, 41: 1281-1294.
- Convey, P. 1996. The influence of environmental characteristics on life history attributes of Antarctic terrestrial biota. *Biol. Rev. Camb. Philos. Soc.*, 71: 191-225.
- Convey, P. 1996. Reproduction of Antarctic flowering plants. *Antarct. Sci.*, 8: 127-134.
- Ellis-Evans, J.C. 1996. Microbial diversity and function in Antarctic freshwater ecosystems. *Biodivers. Conserv.*, 5: 1395-1431.
- Foissner, W. 1996. Faunistics, taxonomy and ecology of moss and soil ciliates (Protozoa, Ciliophora) from Antarctica, with description of new species, including *Pleuroplitoides smithi* gen n, sp n. *Acta Protzool.*, 35: 95-123.
- Laybourn-Parry, J., J.C. Ellis-Evans and H. Butler. 1996. Microbial dynamics during the summer ice-loss phase in maritime Antarctic lakes. *J. Plankton Res.*, 18: 495-511.
- Marshall, J.D., D. Pirrie, A. Clarke, C.P. Nolan and J. Sharman. 1996. Stable-isotopic composition of skeletal carbonates from living Antarctic marine invertebrates. *Lethaia*, 29: 203-212.
- Marshall, W.A. 1996. Aerial dispersal of lichen soredia in the maritime Antarctic. *New Phytol.*, 134: 523-530.
- North, A.W. 1996. Locomotory activity and behaviour of the Antarctic teleost *Notothenia coriiceps*. *Mar. Biol.*, 126: 125-132.

- Ochyra, R. 1996. *Ditrichum lewis-smithii* (Ditrichaceae, Bryopsida), a new species from Antarctica. *Ann. Bot. Fenn.*, 33: 303-309.
- Ovstedal, D.O., J.A. Elix and R.I.L. Smith. 1996. A new species of *Parmelia* (Lichenized ascomycotina) from the Antarctic. *Mycotaxon*, 57: 151-153.
- Peck, L.S. 1996. Metabolism and feeding in the Antarctic brachiopod *Liothyrella uva*: A low energy lifestyle species with restricted metabolic scope. *Proc. R. Soc. Lond., Ser. B: Biol. Sci.*, 263: 223-228.
- Peck, L.S., A.C. Baker and L.Z. Conway. 1996. Strontium labelling of the shell of the Antarctic limpet *Nacella concinna* (Strebel, 1908). *J. Molluscan Stud.*, 62: 315-325.
- Trathan, P.N., J.P. Croxall and E.J. Murphy. 1996. Dynamics of Antarctic penguin populations in relation to interannual variability in sea ice distribution. *Polar Biol.*, 16: 321-330.
- Wynn-Williams, D.D. 1996. Response of pioneer soil microalgal colonists to environmental change in Antarctica. *Microb. Ecol.*, 31: 177-188.
- Appleby, P.G., V.J. Jones and J.C. Ellis-Evans. 1995. Radiometric dating of lake-sediments from Signy Island (maritime Antarctic) - evidence of recent climatic-change. *J. Paleolimnol.*, 13: 179-191.
- Ashford, J.R. and M.G. White. 1995. An annual profile of growth in the otoliths of immature *Notothenia coriiceps* Richardson in relation to the environment at Signy Island, Antarctica. *Antarct. Sci.*, 7: 345-349.
- Barnes, D.K.A. 1995. Seasonal and annual growth in erect species of Antarctic bryozoans. *J. Exp. Mar. Biol. Ecol.*, 188: 181-198.
- Barnes, D.K.A. 1995. Sublittoral epifaunal communities at Signy Island, Antarctica .1. The ice foot zone. *Mar. Biol.*, 121: 555-563.
- Barnes, D.K.A. 1995. Sublittoral epifaunal communities at Signy Island, Antarctica .2. Below the ice-foot zone. *Mar. Biol.*, 121: 565-572.
- Barnes, D.K.A. and A. Clarke. 1995. Epibiotic communities on sublittoral macroinvertebrates at Signy Island, Antarctica. *J. Mar. Biol. Assoc. U.K.*, 75: 689-703.
- Barnes, D.K.A. and A. Clarke. 1995. Seasonality of feeding-activity in Antarctic suspension feeders. *Polar Biol.*, 15: 335-340.
- Block, W. and P.M. Harrison. 1995. Collembolan water relations and environmental change in the maritime Antarctic. *Global Change Biol.*, 1: 347-359.
- Brouwer, P.E.M., E.F.M. Geilen, N.J.M. Gremmen and F. Vanlent. 1995. Biomass, cover and zonation pattern of sublittoral macroalgae at Signy Island, South Orkney Islands, Antarctica. *Bot. Mar.*, 38: 259-270.
- Cripps, G.C. and J. Priddle. 1995. Hydrocarbon content of an Antarctic infaunal bivalve - historical record or life-cycle changes. *Antarct. Sci.*, 7: 127-136.
- Dastych, H. and S.J. McInnes. 1995. A new species of the genus *Diphascon* (Tardigrada) from the Maritime Antarctic. *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg*, 12: 35-41.
- Jones, V.J. and S. Juggins. 1995. The construction of a diatom-based chlorophyll a transfer function and its application at three lakes on Signy Island (maritime Antarctic) subject to differing degrees of nutrient enrichment. *Freshwat. Biol.*, 34: 433-445.
- McInnes, S.J. 1995. Tardigrades from Signy Island, South Orkney Islands, with particular reference to freshwater species. *J. Nat. Hist.*, 29: 1419-1445.
- Murphy, E.J., A. Clarke, C. Symon and J. Priddle. 1995. Temporal variation in Antarctic sea-ice - analysis of a long-term fast-ice record from the South Orkney Islands. *Deep Sea Res. (I Oceanogr. Res. Pap.)*, 42: 1045-1062.
- Nedwell, D.B. and T.R. Walker. 1995. Sediment-water fluxes of nutrients in an Antarctic coastal environment - influence of bioturbation. *Polar Biol.*, 15: 57-64.
- Smith, R.I.L. 1995. Colonization by lichens and the development of lichen-dominated communities in the maritime Antarctic. *Lichenologist*, 27: 473-483.
- Wagele, H., L.W. Bullough and D.K.A. Barnes. 1995. Anatomy of *Pseudotritonia* Thiele, 1912 and *Notaeolidia* Eliot, 1905 (Gastropoda: Opisthobranchia: Nudibranchia) from Signy Island, Antarctica. *J. Molluscan Stud.*, 61: 209-213.
- Wagele, H., D.K.A. Barnes and L.W. Bullough. 1995. Redescription of *Charcotia granulosa* Vayssiere, 1906 (nudibranchia, arminoidea, charcotiidae) from Signy Island, Antarctica. *J. Molluscan Stud.*, 61: 197-207.
- Barnes, D.K.A. 1994. Communities of epibiota on 2 erect species of Antarctic bryozoa. *J. Mar. Biol. Assoc. U.K.*, 74: 863-872.

- Barnes, D.K.A. and A. Clarke. 1994. Seasonal variation in the feeding activity of 4 species of Antarctic bryozoan in relation to environmental-factors. *J. Exp. Mar. Biol. Ecol.*, 181: 117-133.
- Convey, P. 1994. The influence of temperature on individual growth rates of the Antarctic mite *Alaskozetes antarcticus*. *Acta Oecol.*, 15: 43-53.
- Everson, I. 1994. Timescale of ovarian maturation in *Notothenia coriiceps* - evidence for a prolonged adolescent phase. *J. Fish Biol.*, 44: 997-1004.
- Kennedy, A.D. 1994. Simulated climate-change - a field manipulation study of polar microarthropod community response to global warming. *Ecography*, 17: 131-140.
- Knight-Jones, P. and E.W. Knight-Jones. 1994. Spirorbidae (polychaeta) from Signy Island, South Orkneys, including 3 new species. *Ophelia*, 40: 75-94.
- Leakey, R.J.G., N. Fenton and A. Clarke. 1994. The annual cycle of planktonic ciliates in nearshore waters at Signy Island, Antarctica. *J. Plankton Res.*, 16: 841-856.
- Oppenheim, D.R. 1994. Taxonomic studies of Achnanthes (bacillariophyta) in fresh-water maritime Antarctic lakes. *Can. J. Bot./Rev. Can. Bot.*, 72: 1735-1748.
- Pugh, P.J.A. 1994. Supercooling points and water content in acari. *Acta Oecol.*, 15: 71-77 (Times Cited: 22).
- Convey, P. and R.I.L. Smith. 1993. Investment in sexual reproduction by Antarctic mosses. *Oikos*, 68: 293-302.
- Davey, M.C. and P. Rothery. 1993. Primary colonization by microalgae in relation to spatial variation in edaphic factors on Antarctic fellfield soils. *J. Ecol.*, 81: 335-343.
- Hawes, I. 1993. Photosynthesis in thick cyanobacterial films - a comparison of annual and perennial Antarctic mat communities. *Hydrobiologia*, 252: 203-209.
- Jones, V.J., S. Juggins and J.C. Ellis-Evans. 1993. The relationship between water chemistry and surface sediment diatom assemblages in maritime Antarctic lakes. *Antarct. Sci.*, 5: 339-348.
- Kennedy, A.D. 1993. Photosynthetic response of the Antarctic moss *Polytrichum alpestre* Hoppe to low temperatures and freeze-thaw stress. *Polar Biol.*, 13: 271-279.
- Nedwell, D.B., T.R. Walker, J.C. Ellis-Evans and A. Clarke. 1993. Measurements of seasonal rates and annual budgets of organic-carbon fluxes in an Antarctic coastal environment at Signy Island, South Orkney Islands, suggest a broad balance between production and decomposition. *Appl. Environ. Microbiol.*, 59: 3989-3995.
- Nolan, C.P. and A. Clarke. 1993. Growth in the bivalve *Yoldia eightsi* at Signy Island, Antarctica, determined from internal shell increments and Ca-45 incorporation. *Mar. Biol.*, 117: 243-250.
- Orange, A. 1993. *Thelidium austroatlanticum* (Verrucariaceae), a new species from the South Orkney Islands. *Lichenologist*, 25: 271-277.
- Peck, L.S. and L.W. Bullough. 1993. Growth and population structure in the infaunal bivalve *Yoldia eightsi* in relation to iceberg activity at Signy Island, Antarctica. *Mar. Biol.*, 117: 235-241.
- Peck, L.S., E. Prothero-Thomas and N. Hough. 1993. Pedal mucus production by the Antarctic limpet *Nacella concinna* (Strebel, 1908). *J. Exp. Mar. Biol. Ecol.*, 174: 177-192.
- Block, W., J. Davenport and J. Bale. 1992. Animals at low temperatures. *J. Zool.*, 226: 345-350.
- Clarke, A. and D.J. Gore. 1992. Egg size and composition in *Ceratoserolis* (crustacea, isopoda) from the Weddell Sea. *Polar Biol.*, 12: 129-134.
- Convey, P. 1992. Aspects of the biology of the midge, *Eretmoptera murphyi* Schaeffer (diptera, chironomidae), introduced to Signy Island, maritime Antarctic. *Polar Biol.*, 12: 653-657.
- Cripps, G.C. 1992. The extent of hydrocarbon contamination in the marine-environment from a research station in the Antarctic. *Mar. Pollut. Bull.*, 25: 288-292.
- Croxall, J.P. 1992. Southern Ocean environmental changes - effects on seabird, seal and whale populations. *Philos. Trans. R. Soc. Lond. Ser. B: Biol. Sci.*, 338: 319-328.
- Dartnall, H.J.G. 1992. The reproductive strategies of 2 Antarctic rotifers. *J. Zool.*, 227: 145-162.
- Davey, M.C. and K.J. Clarke. 1992. Fine-structure of a terrestrial cyanobacterial mat from Antarctica. *J. Phycol.*, 28: 199-202.
- Davey, M.C., J. Pickup and W. Block. 1992. Temperature variation and its biological significance in fellfield habitats on a maritime Antarctic island. *Antarct. Sci.*, 4: 383-388.
- Davis, L.S. and G.D. Miller. 1992. Satellite tracking of Adelie penguins. *Polar Biol.*, 12: 503-506.
- Drew, E.A. and R.M. Hastings. 1992. A year round ecophysiological study of *Himantothallus grandifolius* (Desmarestiales, Phaeophyta) at Signy Island, Antarctica. *Phycologia*, 31: 262-277.

- Greenfield, L.G. 1992. Precipitation nitrogen at maritime Signy Island and continental Cape Bird, Antarctica. *Polar Biol.*, 11: 649-653.
- Rothery, P. and W. Block. 1992. Characterizing supercooling point distributions. *Cryo-Letters*, 13: 193-198.
- White, M.G. and P.J. Burren. 1992. Reproduction and larval growth of *Harpagifer antarcticus* Nybelin (Pisces, Notothenioidei). *Antarct. Sci.*, 4: 421-430.
- Bridgman, S.A. 1991. Peripheral cold acclimatization in Antarctic scuba-divers. *Aviat. Space Environ. Med.*, 62: 733-738.
- Davey, M.C. and K.J. Clarke. 1991. The spatial distribution of microalgae on Antarctic fell-field soils. *Antarct. Sci.*, 3: 257-263.
- Gilbert, N.S. 1991. Microphytobenthic seasonality in near shore marine sediments at Signy Island, South Orkney Islands, Antarctica. *Estuar. Coast. Shelf Sci.*, 33: 89-104.
- Gilbert, N.S. 1991. Primary production by benthic microalgae in nearshore marine sediments of Signy Island, Antarctica. *Polar Biol.*, 11: 339-346.
- Nolan, C.P. 1991. Size, shape and shell morphology in the Antarctic limpet *Nacella concinna* at Signy Island, South Orkney Islands. *J. Molluscan Stud.*, 57: 225-238.
- Smith, R.I.L. 1991. Exotic sporomorphs as indicators of potential immigrant colonists in Antarctica. *Grana*, 30: 313-324.
- Wynn-Williams, D.D. 1991. Aerobiology and colonization in Antarctica - the BIOTAS program. *Grana*, 30: 380-393.
- Block, W. 1990. Cold tolerance of insects and other arthropods. *Philos. Trans. R. Soc. Lond. Ser. B: Biol. Sci.*, 326: 613-8.
- Block, W., P.M. Harrisson and G. Vannier. 1990. A comparative-study of patterns of water-loss from 2 Antarctic springtails (Insecta, Collembola). *J. Insect Physiol.*, 36: 181-187.
- Clarke, A. 1990. Fecal egestion and ammonia excretion in the Antarctic limpet *Nacella concinna* (Strebel, 1908). *J. Exp. Mar. Biol. Ecol.*, 138: 227-246.
- Oppenheim, D.R. and R. Greenwood. 1990. Epiphytic diatoms in 2 fresh-water maritime Antarctic lakes. *Freshwat. Biol.*, 24: 303-314.
- Oppenheim, D.R. and D.M. Paterson. 1990. The fine-structure of an algal mat from a fresh-water maritime Antarctic lake. *Can. J. Bot./Rev. Can. Bot.*, 68: 174-183.
- Testa, J.W., D.B. Siniff, J.P. Croxall and H.R. Burton. 1990. A comparison of reproductive parameters among 3 populations of Weddell seals (*Leptonychotes weddellii*). *J. Anim. Ecol.*, 59: 1165-1175.

1980 - 1989

- Block, W. and J.G. Duman. 1989. Presence of thermal hysteresis producing antifreeze proteins in the Antarctic mite, *Alaskozetes antarcticus*. *J. Exp. Zool.*, 250: 229-231.
- Clarke, A., J.C. Ellis-Evans, M.W. Sanders and L.J. Holmes. 1989. Patterns of energy-storage in *Pseudoboeckella poppei* (Crustacea, Copepoda) from 2 contrasting lakes on Signy Island, Antarctica. *Hydrobiologia*, 172: 183-191.
- Hawes, I. 1989. Filamentous green-algae in fresh-water streams on Signy Island, Antarctica. *Hydrobiologia*, 172: 1-18.
- Nedwell, D.B. 1989. Benthic microbial activity in an Antarctic coastal sediment at Signy Island, South Orkney Islands. *Estuar. Coast. Shelf Sci.*, 28: 507-516.
- Oneill, J.G. 1989. Ontogeny of the lymphoid organs in an Antarctic teleost, *Harpagifer antarcticus* (Notothenioidei, Perciformes). *Dev. Comp. Immunol.*, 13: 25-33.
- Oneill, J.G. 1989. Ontogeny of the thymus in an Antarctic teleost, *Harpagifer* sp (Notothenioidei, Perciformes). *Polar Biol.*, 9: 511-516.
- Oppenheim, D.R. and J.C. Ellis-Evans. 1989. Depth-related changes in benthic diatom assemblages of a maritime Antarctic lake. *Polar Biol.*, 9: 525-532.
- Clarke, A., L.J. Holmes and M.G. White. 1988. The annual cycle of temperature, chlorophyll and major nutrients at Signy Island, South Orkney Islands, 1969-82. *Br. Antarct. Surv. Bull.*, 80: 65-86.
- Davey, M.C. 1988. Ecology of terrestrial algae of the fellfield ecosystems of Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 81: 69-74.
- Frey, D.G. 1988. *Alona weinecki* Studer on the sub-Antarctic islands, not *Alona rectangula* Sars (Chydoridae, Cladocera). *Limnol. Oceanogr.*, 33: 1386-1411.

- Greenfield, L. 1988. Soil biological and biochemical investigations on Deception and Signy Islands. *Br. Antarct. Surv. Bull.*, 81: 75-76.
- Lister, A., W. Block and M.B. Usher. 1988. Arthropod predation in an Antarctic terrestrial community. *J. Anim. Ecol.*, 57: 957-970.
- Pickup, J. 1988. Ecophysiological studies of terrestrial free-living nematodes on Signy Island. *Br. Antarct. Surv. Bull.*, 81: 77-81.
- Rootes, D.M. 1988. The status of birds at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 80: 87-119.
- Smith, R.I.L. 1988. Destruction of Antarctic terrestrial ecosystems by a rapidly increasing fur seal population. *Biol. Conserv.*, 45: 55-72.
- Cannon, R.J.C. 1987. Effects of low temperature acclimation on the survival and cold tolerance of an Antarctic mite. *J. Insect Physiol.*, 33: 509-521.
- Christie, P. 1987. Nitrogen in 2 contrasting Antarctic bryophyte communities. *J. Ecol.*, 75: 73-93.
- Croxall, J.P. and G.S. Lishman. 1987. The food and feeding ecology of penguins. Croxall, J. P. (Ed.). *Seabirds: Feeding Ecology and Role in Marine Ecosystems. Cambridge University Press: Cambridge*: 101-134.
- Johnston, I.A. and J.P. Camm. 1987. Muscle structure and differentiation in pelagic and demersal stages of the Antarctic teleost *Notothenia neglecta*. *Mar. Biol.*, 94: 183-190.
- Oppenheim, D. and G.J.F. Pugh. 1987. A checklist of marine diatoms found on wood blocks exposed in the littoral environment of Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 77: 167-171.
- Peck, L.S., A. Clarke and L.J. Holmes. 1987. Size, shape and the distribution of organic matter in the recent Antarctic brachiopod *Liothyrella uva*. *Lethaia*, 20: 33-40.
- Booth, R.G. and M.B. Usher. 1986. Arthropod communities in a maritime Antarctic moss turf habitat - life-history strategies of the prostigmatid mites. *Pedobiologia*, 29: 209-218.
- Burn, A.J. 1986. Feeding rates of the cryptostigmatid mite *Alaskozetes antarcticus* (Michael). *Br. Antarct. Surv. Bull.*, 71: 11-17.
- Cannon, R.J. 1986. Diet and acclimation effects on the cold tolerance and survival of an Antarctic springtail. *Br. Antarct. Surv. Bull.*, 71: 19-30.
- Cannon, R.J.C. 1986. Effects of ingestion of liquids on the cold tolerance of an Antarctic mite. *J. Insect Physiol.*, 32: 955-961.
- Dunn, J.F. and I.A. Johnston. 1986. Metabolic constraints on burst swimming in the Antarctic teleost *Notothenia neglecta*. *Mar. Biol.*, 91: 433-440.
- Hall, K. 1986. Freeze-thaw simulations on quartz-micaschist and their implications for weathering studies on Signy Island, Antarctica. *Br. Antarct. Surv. Bull.*, 73: 19-30.
- Hall, K. 1986. The utilization of the stress intensity factor (K_{IC}) in a model for rock fracture during freezing - an example from Signy Island, the maritime Antarctic. *Br. Antarct. Surv. Bull.*, 72: 53-60.
- Hall, K.J., A.A. Verbeek and K.I. Meiklejohn. 1986. A method for the extraction and analysis of solutes from rock samples with some comments on the implications for weathering studies - an example from Signy Island, Antarctica. *Br. Antarct. Surv. Bull.*, 70: 79-84.
- Meneilly, A.W. and B.C. Storey. 1986. Ductile thrusting within subduction complex rocks on Signy Island, South Orkney Islands. *J. Struct. Geol.*, 8: 457-472.
- Peck, L.S., D.J. Morris, A. Clarke and L.J. Holmes. 1986. Oxygen consumption and nitrogen excretion in the Antarctic brachiopod *Liothyrella uva* (Jackson, 1912) under simulated winter conditions. *J. Exp. Mar. Biol. Ecol.*, 104: 203-213.
- Schenker, R. and W. Block. 1986. Microarthropod activity in 3 contrasting terrestrial habitats on Signy Island, maritime Antarctic. *Br. Antarct. Surv. Bull.*, 71: 31-43.
- Shaw, P. 1986. Factors affecting the breeding performance of Antarctic blue-eyed shags *Phalacrocorax atriceps*. *Ornis Scand.*, 17: 141-150.
- Usher, M.B. and R.G. Booth. 1986. Arthropod communities in a maritime Antarctic moss-turf habitat - multiple scales of pattern in the mites and collembola. *J. Anim. Ecol.*, 55: 155-170.
- Usher, M.B. and M. Edwards. 1986. 2 new species of tydeid mite (Acarina, Prostigmata) from the maritime Antarctic. *Br. Antarct. Surv. Bull.*, 73: 1-7.
- Block, W. and B. Christensen. 1985. Terrestrial Enchytraeidae from South Georgia and the maritime Antarctic. *Br. Antarct. Surv. Bull.*, 69: 65-70.
- Booth, R.G. and M.B. Usher. 1985. Variation in the physical and chemical environment of a maritime Antarctic moss turf. *Br. Antarct. Surv. Bull.*, 67: 25-40.

- Cannon, R.J.C. and R. Schenker. 1985. Cold tolerance of a cryptostigmatid mite at Signy Island, maritime Antarctic. *Br. Antarct. Surv. Bull.*, 67: 1-5.
- Cranston, P.S. 1985. *Eretmoptera murphyi* Schaeffer (Diptera, Chironomidae), an apparently parthenogenetic Antarctic midge. *Br. Antarct. Surv. Bull.*, 66: 35-45.
- Dartnall, H.J.G. and E.D. Hollowday. 1985. Antarctic rotifers. *Br. Antarct. Surv. Sci. Rep.*, 100: 1-46.
- Ellis-Evans, J.C. 1985. Interactions of bacterio-plankton and phyto-plankton in nutrient cycling within eutrophic Heywood Lake Signy Island South Orkney Islands sub-Antarctica. *Siegfried, W. R., P. R. Condry and R. M. Laws (Ed.). Antarctic Nutrient Cycles and Food Webs; Springer-Verlag: New York*: 261-264.
- Ellis-Evans, J.C. and D.D. Wynn-Williams. 1985. The interaction of soil and lake microflora at Signy Island South Orkney Islands sub-Antarctic. *Siegfried, W. R., P. R. Condry and R. M. Laws (Ed.). Antarctic Nutrient Cycles and Food Webs. Springer-Verlag: New York*: 662-668.
- Hemmings, A.D. 1985. Sandpiper at Signy Island, South Orkney Islands, December 1981 - January 1982. *Br. Antarct. Surv. Bull.*, 69: 81-82.
- Lishman, G.S. 1985. The comparative breeding biology of Adelie and chinstrap penguins *Pygoscelis adeliae* and *Pygoscelis antarctica* at Signy Island, South Orkney Islands. *Ibis*, 127: 84-99.
- Lishman, G.S. 1985. The food and feeding ecology of Adelie penguins (*Pygoscelis adeliae*) and chinstrap penguins (*Pygoscelis antarctica*) at Signy Island, South Orkney Islands. *J. Zool.*, 205: 245-263.
- Poncet, S. and J. Poncet. 1985. A survey of penguin breeding populations at the South Orkney Islands. *Br. Antarct. Surv. Bull.*, 68: 71-81.
- Shaw, P. 1985. Age-differences within breeding pairs of blue-eyed shags *Phalacrocorax atriceps*. *Ibis*, 127: 537-543.
- Shaw, P. 1985. Brood reduction in the blue-eyed shag *Phalacrocorax atriceps*. *Ibis*, 127: 476-494.
- Smith, H.G. and P.V. Tearle. 1985. Aspects of microbial and protozoan abundances in Signy Island fellfields. *Br. Antarct. Surv. Bull.*, 68: 83-90.
- Storey, B.C. and A.W. Meneilly. 1985. Petrogenesis of metamorphic rocks within a subduction accretion terrane, Signy Island, South Orkney Islands. *J. Metamorphic Geol.*, 3: 21-42.
- Wynn-Williams, D.D. 1985. Microbiological studies at the Signy Island fellfield research-program (FERP) sites during the 1984-85 field season. *Br. Antarct. Surv. Bull.*, 68: 107-108.
- Wynn-Williams, D.D. 1985. The Signy Island terrestrial reference sites .8. Peat O₂ uptake in a moss carpet relative to edaphic and microbial factors. *Br. Antarct. Surv. Bull.*, 68: 61-69.
- Wynn-Williams, D.D. 1985. The Signy Island terrestrial reference sites.16. Peat O₂ uptake in a moss turf relative to edaphic and microbial factors. *Br. Antarct. Surv. Bull.*, 68: 47-59.
- Yarrington, M.R. and D.D. Wynn-Williams. 1985. Methanogenesis and the anaerobic microbiology of a wet moss community at Signy Island South Orkney Island sub-Antarctic. *Siegfried, W. R., P. R. Condry and R. M. Laws (Ed.). Antarctic Nutrient Cycles and Food Webs; Springer-Verlag: New York*: 229-233.
- Block, W. 1984. A comparative-study of invertebrate supercooling at Signy Island, maritime Antarctic. *Br. Antarct. Surv. Bull.*, 64: 67-76.
- Block, W., A.J. Burn and K.J. Richard. 1984. An insect introduction to the maritime Antarctic. *Biol. J. Linn. Soc.*, 23: 33-39.
- Booth, R.G. 1984. A new species of mite in the genus *Nanorchestes* (Acari, Prostigmata) from Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 63: 111-116.
- Booth, R.G. and M.B. Usher. 1984. Arthropod communities in a maritime Antarctic moss turf habitat - effects of the physical and chemical environment. *J. Anim. Ecol.*, 53: 879-893.
- Burn, A.J. 1984. Energy partitioning in the Antarctic collembolan *Cryptopygus antarcticus*. *Ecol. Entomol.*, 9: 11-21.
- Ellis-Evans, J.C. 1984. Methane in maritime Antarctic fresh-water lakes. *Polar Biol.*, 3: 63-71.
- Hemmings, A.D. 1984. Aspects of the breeding biology of McCormicks skua *Catharacta maccormicki* at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 65: 65-79.
- Oliver, P.G. and G.B. Picken. 1984. Prosobranch gastropods from Signy Island, Antarctica - Buccinacea and Muricacea. *Br. Antarct. Surv. Bull.*, 62: 95-115.
- Schenker, R. 1984. Effects of temperature-acclimation on cold-hardiness of Antarctic micro-arthropods. *Rev. Ecol. Biol. Sol.*, 21: 205-220.
- Smith, H.G. 1984. Protozoa of Signy Island fellfields. *Br. Antarct. Surv. Bull.*, 64: 55-61.

- Usher, M.B. and R.G. Booth. 1984. Arthropod communities in a maritime Antarctic moss-turf habitat - 3-dimensional distribution of mites and collembola. *J. Anim. Ecol.*, 53: 427-441.
- Wynn-Williams, D.D. 1984. Comparative respirometry of peat decomposition on a latitudinal transect in the maritime Antarctic. *Polar Biol.*, 3: 173-181.
- Brook, A.J. and D.B. Williamson. 1983. Desmids from some lakes On Signy Island, South-Orkney Islands, Antarctica. *Br. Antarct. Surv. Bull.*, 61: 59-70.
- Croxall, J.P. and L. Hiby. 1983. Fecundity, survival and site fidelity in Weddell seals, *Leptonychotes weddelli*. *J. Appl. Ecol.*, 20: 19-32.
- Davis, R.C. 1983. Prediction of net primary production in two Antarctic mosses by two models of net CO₂ fixation. *Br. Antarct. Surv. Bull.*, 59: 47-61.
- Ellis-Evans, J.C. 1983. A full list of officially recognized names for the lakes of Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 59: 79-80.
- Hawes, I. 1983. Nutrients and their effects on phytoplankton populations in lakes on Signy Island, Antarctica. *Polar Biol.*, 2: 115-126.
- Lishman, G.S. and J.P. Croxall. 1983. Diving depths of the chinstrap penguin *Pygoscelis antarctica*. *Br. Antarct. Surv. Bull.*, 61: 21-25.
- Oliver, P.G. 1983. *Notoficula* Thiele, a neotenous genus of eratoid gastropod from Antarctica. *Br. Antarct. Surv. Bull.*, 61: 1-6.
- Picken, G.B. and D. Allan. 1983. Unique spawning behavior by the Antarctic limpet *Nacella (Patinigera) concinna* (Strebel, 1908). *J. Exp. Mar. Biol. Ecol.*, 71: 283-287.
- Ponder, W.F. 1983. Rissoaform gastropods from the Antarctic and sub-Antarctic. *Br. Antarct. Surv. Sci. Rep.*, 108: 1-96.
- Usher, M.B. 1983. Pattern in the simple moss turf communities of the sub-Antarctic and maritime Antarctic. *J. Ecol.*, 71: 945-958.
- Bailey, A.D. and D.D. Wynn-Williams. 1982. Soil microbiological studies at Signy Island South Orkney Islands Antarctica. *Br. Antarct. Surv. Bull.*, 51: 167-192.
- Block, W. 1982. The Signy Island terrestrial reference sites: XIV. Population studies on the Collembola. *Br. Antarct. Surv. Bull.*, 55: 33-76.
- Block, W. and L. Somme. 1982. Cold hardiness of terrestrial mites at Signy Island, maritime Antarctic. *Oikos*, 38: 157-167.
- Clarke, M.R. and N. Macleod. 1982. Cephalopods in the diet of elephant seals *Mirounga leonina* at Signy Island South Orkney Islands South Atlantic Ocean. *Br. Antarct. Surv. Bull.*, 57: 27-32.
- Croxall, J.P. 1982. Sexual dimorphism in snow petrels *Pagodroma nivea*. *Notornis*, 29: 171-180.
- Fenton, J.H.C. 1982. Vegetation re-exposed after burial by ice and its relationship to changing climate in the South Orkney Islands, Antarctica. *Br. Antarct. Surv. Bull.*, 51: 247-256.
- Fenton, J.H.C. and R.I.L. Smith. 1982. Distribution composition and general characteristics of the moss banks of the maritime Antarctic. *Br. Antarct. Surv. Bull.*, 51: 215-236.
- Goddard, D.G. 1982. Feeding biology of free living acari at Signy Island, South Orkney Islands, Antarctica. *Br. Antarct. Surv. Bull.*, 51: 290-293.
- Gray, N.F., C.H.E. Wyborn and R.I.L. Smith. 1982. Nematophagous fungi from the maritime Antarctic. *Oikos*, 38: 194-201.
- Houlihan, D.F. and D. Allan. 1982. Oxygen consumption of some Antarctic and British gastropods - an evaluation of cold adaptation. *Comp. Biochem. Physiol. A*, 73: 383-387.
- Kightley, S.P.J. and J.R. Caldwell. 1982. The first record of a fur seal *Arctocephalus gazella* birth on Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 51: 287-289.
- Priddle, J. and J.H. Belcher. 1982. An annotated list of benthic algae excluding diatoms from fresh water lakes on Signy Island. *Br. Antarct. Surv. Bull.*, 57: 41-54.
- Pugh, G.J.F. and D. Allsopp. 1982. Micro fungi on Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 57: 55-68.
- Somme, L. and W. Block. 1982. Cold hardiness of collembola at Signy Island, maritime Antarctic. *Oikos*, 38: 168-176.
- Walton, D.W.H. 1982. The Signy Island terrestrial reference sites: XV. Micro climate monitoring 1972-1974. *Br. Antarct. Surv. Bull.*, 55: 111-126.
- Whitaker, T.M. 1982. Primary production of phytoplankton off Signy Island, South Orkneys, the Antarctic. *Proc. R. Soc. Lond., Ser. B: Biol. Sci.*, 214: 169-189.

- Wynn-Williams, D.D. 1982. Simulation of seasonal-changes in microbial activity of maritime Antarctic peat. *Soil Biol. Biochem.*, 14: 1-12.
- Block, W. and L. Somme. 1981. Arthropod cold hardiness. *Br. Antarct. Surv. Bull.*, 53: 265-266.
- Burn, A.J. 1981. Feeding and growth in the Antarctic collembolan *Cryptopygus antarcticus*. *Oikos*, 36: 59-64.
- Caldwell, J.R. 1981. Biomass and respiration of nematode populations in two moss communities at Signy Island, maritime Antarctic. *Oikos*, 37: 160-166.
- Caldwell, J.R. 1981. The Signy Island terrestrial reference sites: XIII. Population dynamics of the nematode fauna. *Br. Antarct. Surv. Bull.*, 54: 33-46.
- Clarke, A. and R. Law. 1981. Aliphatic and aromatic-hydrocarbons in benthic invertebrates from two sites in Antarctica. *Mar. Pollut. Bull.*, 12: 10-14.
- Courtney, W.A.M. and W.J. Langston. 1981. Organo chlorines in Antarctic marine systems. *Br. Antarct. Surv. Bull.*, 53: 255-257.
- Croxall, J.P., D.M. Rootes and R.A. Price. 1981. Increases in penguin populations at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 54: 47-56.
- Davis, R.C. 1981. Structure and function of two Antarctic terrestrial moss communities. *Ecol. Monogr.*, 51: 125-143.
- Ellis-Evans, J.C. 1981. Fresh water microbiology in the Antarctic 1. Microbial numbers and activity in oligotrophic Moss Lake, Signy Island. *Br. Antarct. Surv. Bull.*, 54: 85-104.
- Ellis-Evans, J.C. 1981. Fresh water microbiology in the Antarctic 2. Microbial numbers and activity in nutrient enriched Heywood Lake, Signy Island. *Br. Antarct. Surv. Bull.*, 54: 105-122.
- Hoogesterger, J.N. and M.G. White. 1981. Notes on parasite infestation of inshore fish at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 54: 23-32.
- Laws, R.M. 1981. Seal surveys South Orkney Islands 1971 and 1974. *Br. Antarct. Surv. Bull.*, 54: 136-139.
- Light, J.J., J.C. Ellis-Evans and J. Priddle. 1981. Phytoplankton ecology in an Antarctic lake. *Freshwat. Biol.*, 11: 11-26.
- Luxmoore, R.A. 1981. Molting and growth in serolid isopods. *J. Exp. Mar. Biol. Ecol.*, 56: 63-85.
- Namslen, N.R. 1981. The Signy Island terrestrial reference sites 12. Population ecology of nematodes with additions to the fauna. *Br. Antarct. Surv. Bull.*, 53: 57-76.
- Whitaker, T.M. 1981. Observations on particulate material in sea water, during winter at Signy Island, South Orkney Islands Antarctica. *Br. Antarct. Surv. Bull.*, 53: 261-262.
- Whitaker, T.M. 1981. Primary production of phytoplankton of Signy Island, South Orkneys, the Antarctic. *Proc. R. Soc. Lond., Ser. B: Biol. Sci.*, 214: 169-190.
- Heywood, R.B., H.J.G. Dartnall and J. Priddle. 1980. Characteristics and classification of the lakes of Signy Island, South Orkney Islands, Antarctica. *Freshwat. Biol.*, 10: 47-59.
- Picken, G.B. 1980. Distribution, growth, and reproduction of the Antarctic limpet *Nacella (Patinigera) concinna* (Strebel, 1908). *J. Exp. Mar. Biol. Ecol.*, 42: 71-85.
- Priddle, J. 1980. Production ecology of benthic plants in some Antarctic lakes .1. *In situ* production studies. *J. Ecol.*, 68: 141-153.
- Priddle, J. 1980. Production ecology of benthic plants in some Antarctic lakes .2. Laboratory physiology studies. *J. Ecol.*, 68: 155-166.
- Whitaker, T.M. and M.G. Richardson. 1980. Morphology and chemical composition of a natural population of an ice-associated Antarctic diatom *Navicula glaciei*. *J. Phycol.*, 16: 250-257.
- Wynn-Williams, D.D. 1980. Seasonal fluctuations in microbial activity in Antarctic moss peat. *Biol. J. Linn. Soc.*, 14: 11-28.

1970 - 1979

- Block, W. 1979. Oxygen consumption of the Antarctic springtail *Parisotoma octooculata* (Willem) (Isotomidae). *Rev. Ecol. Biol. Sol*, 16: 227-233.
- Broady, P.A. 1979. Feeding studies on the collembolan *Cryptopygus antarcticus* Willem at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 48: 37-46.
- Broady, P.A. 1979. Quantitative studies on the terrestrial algae of Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 47: 31-42.
- Broady, P.A. 1979. The Signy Island terrestrial reference sites. IX. The ecology of the algae of site 2, a moss carpet. *Br. Antarct. Surv. Bull.*, 47: 13-30.

- Broady, P.A. 1979. The terrestrial algae of Signy Island, South Orkney Islands. *Br. Antarct. Surv. Sci. Rep.*, 98: 1-117.
- Broady, P.A. 1979. Wind dispersal of terrestrial algae at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 48: 99-102.
- Goddard, D.G. 1979. The Signy Island terrestrial reference sites: XI. Population studies on the Acari. *Br. Antarct. Surv. Bull.*, 48: 71-92.
- Jennings, P.G. 1979. The Signy Island terrestrial reference sites. X. Population dynamics of Tardigrada and Rotifera. *Br. Antarct. Surv. Bull.*, 47: 89-106.
- Maslen, N.R. 1979. Six new nematode species from the maritime Antarctic. *Nematologica*, 25: 288.
- Picken, G.B. 1979. Growth, production and biomass of the Antarctic gastropod *Laevilacunaria antarctica* Martens 1885. *J. Exp. Mar. Biol. Ecol.*, 40: 71-79.
- Picken, G.B. 1979. Non-pelagic reproduction of some Antarctic prosobranch gastropods from Signy Island, South Orkney Islands. *Malacologia*, 19: 109-128.
- Priddle, J. 1979. Morphology and adaptation of aquatic mosses in an Antarctic lake. *Journal of Bryology*, 10: 517-529.
- Richardson, M.G. and T.M. Whitaker. 1979. An Antarctic fast ice food chain observations on the interaction of the amphipod *Pontogeneia antarctica* with ice associated micro algae. *Br. Antarct. Surv. Bull.*, 47: 107-115.
- White, M.G. 1979. New species of marine isopod of the genus *Antarcturus* (Isopoda, Valvifera) from the South Orkney Islands. *Crustaceana*, 36: 90-98.
- Kevan, P. 1978. Anthophilous springtails (Collembola) from the Alaskan north slope, from Signy Island, Antarctica, and from near Ottawa, Ontario. *Rev. Ecol. Biol. Sol*, 15: 373-378.
- Lewis Smith, R.I. 1978. Summer and winter concentrations of sodium, potassium and calcium in some maritime Antarctic cryptogams. *J. Ecol.*, 66: 891-910.
- Block, W. and P.J. Tilbrook. 1977. Effects of long-term storage on oxygen uptake of *Cryptopygus antarcticus* (Collembola). *Oikos*, 29: 284-289.
- Broady, P.A. 1977. New genus and two new species of terrestrial chlorophycean algae from Signy Island, South Orkney Islands, Antarctica. *Br. Phycol. J.*, 12: 7-15.
- Broady, P.A. 1977. The Signy Island terrestrial reference sites: VII. The ecology of the algae of site 1, a moss turf. *Br. Antarct. Surv. Bull.*, 45: 47-62.
- Drew, E.A. 1977. The physiology of photosynthesis and respiration in some Antarctic marine algae. *Br. Antarct. Surv. Bull.*, 46: 59-76.
- Everson, I. 1977. Antarctic marine secondary production and phenomenon of cold adaptation. *Philos. Trans. R. Soc. Lond. Ser. B: Biol. Sci.*, 279: 55-66.
- Goddard, D.G. 1977. The Signy Island terrestrial reference sites: VI. Oxygen uptake of *Gamasellus racovitza* (Trouessart) (Acari: Mesostigmata). *Br. Antarct. Surv. Bull.*, 45: 1-12.
- Goddard, D.G. 1977. The Signy Island terrestrial reference sites: VIII. Oxygen uptake of some Antarctic Prostigmatid mites (Acari: Prostigmata). *Br. Antarct. Surv. Bull.*, 45: 101-116.
- Herbert, R.A. and A.C. Tanner. 1977. Isolation and some characteristics of photosynthetic bacteria (Chromatiaceae and Chlorobiaceae) from Antarctic marine sediments. *J. Appl. Bacteriol.*, 43: 437-&.
- Heywood, R.B. 1977. The correct identity of a *Pseudoboeckella* sp (Copepoda, Calanoida) from Signy Island, South Orkney Islands, Antarctica. *Br. Antarct. Surv. Bull.*, 45: 147.
- Holdgate, M.W. 1977. Terrestrial ecosystems in Antarctic. *Philos. Trans. R. Soc. Lond. Ser. B: Biol. Sci.*, 279: 5-25.
- Shaughnessy, P.D. and J.W.H. Conroy. 1977. Further data on the inheritance of plumage phases of the southern giant petrel *Macronectes giganteus*. *Br. Antarct. Surv. Bull.*, 45: 25-28.
- Bell, B.G. 1976. Notes on Antarctic bryophytes: VI. The genus *Dicranoweisia* on Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 44: 97-100.
- Broady, P.A. 1976. Six new species of terrestrial algae from Signy Island, South Orkney Islands, Antarctica. *Br. Phycol. J.*, 11: 387-405.
- Herbert, R.A. 1976. Isolation and identification of photosynthetic bacteria (Rhodospirillaceae) from Antarctic marine and freshwater sediments. *J. Appl. Bacteriol.*, 41: 75-80.
- Jennings, P.G. 1976. The Tardigrada of Signy Island, South Orkney Islands, with a note on the Rotifera. *Br. Antarct. Surv. Bull.*, 44: 1-25.

- Smith, R.I.L. and C.H. Gimingham. 1976. Classification of cryptogamic communities in the maritime Antarctic. *Br. Antarct. Surv. Bull.*, 43: 25-48.
- Collins, N.J., J.H. Baker and P.J. Tilbrook. 1975. Signy Island maritime Antarctic. *Rosswall, T. and O. W. Heal (Ed.). Ecological Bulletins, No. 20. Structure and Function of Tundra Ecosystems, Swedish Natural Science Research Council: Stockholm*: 345-374.
- Conroy, J.W.H., O.H.S. Darling and H.G. Smith. 1975. The annual cycle of the chinstrap penguin *Pygoscelis antarctica* on Signy Island, South Orkney Islands. *Stonehouse, B. (Ed.). The Biology of Penguins. University Park Press: Baltimore*: 353-362.
- Fogg, G.E., M.F. Burton and S.J. Coughlan. 1975. The occurrence of glycolic acid in Antarctic waters. *Br. Antarct. Surv. Bull.*, 41-42: 193-195.
- Jennings, P.G. 1975. The Signy Island terrestrial reference sites: V. Oxygen uptake of *Macrobiotus furciger* (Tardigrada). *Br. Antarct. Surv. Bull.*, 41-42: 161-168.
- Richardson, M.G. 1975. The dietary composition of some Antarctic fish. *Br. Antarct. Surv. Bull.*, 41-42: 113-120.
- White, M.G. and J.W.H. Conroy. 1975. Aspects of competition between Pygoscelid penguins at Signy Island, South Orkney Islands. *Ibis*, 117: 371-373.
- Baker, J.H. 1974. The use of a temperature gradient incubator to investigate the temperature characteristics of some bacteria from Antarctic peat. *Br. Antarct. Surv. Bull.*, 39: 49-59.
- Edwards, J.A. 1974. Studies in *Colobanthus quitensis* and *Deschampsia Antarctica*: VI. Reproductive performance on Signy Island. *Br. Antarct. Surv. Bull.*, 39: 67-86.
- Edwards, J.A. and D.M. Greene. 1973. The survival of Falkland Islands transplants at South Georgia and Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 33-34: 33-45.
- Herbert, R.A. and C.R. Bell. 1973. Nutrient cycling in fresh water lakes on Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 37: 15-20.
- Light, J.J. and R.B. Heywood. 1973. Deep-water mosses in Antarctic lakes. *Nature*, 242: 535-536.
- Smith, H.G. 1973. The Signy Island terrestrial reference sites: II. The protozoa. *Br. Antarct. Surv. Bull.*, 33-34: 83-87.
- Smith, H.G. 1973. The Signy Island terrestrial reference sites: III. Population ecology of *Corythion dubium* (Rhizopoda, Testacida) in site 1. *Br. Antarct. Surv. Bull.*, 33-34: 123-135.
- Spaull, V.W. 1973. Distribution of nematode feeding groups at Signy Island, South Orkney Islands, with an estimate of their biomass and oxygen consumption. *Br. Antarct. Surv. Bull.*, 37: 21-32.
- Spaull, V.W. 1973. Qualitative and quantitative distribution of soil nematodes of Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 33-34: 177-184.
- Spaull, V.W. 1973. Seasonal variation in numbers of soil nematodes at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 33-34: 47-56.
- Spaull, V.W. 1973. The Signy Island, Antarctica, terrestrial reference sites: IV. The nematode fauna. *Br. Antarct. Surv. Bull.*, 37: 94-96.
- Tilbrook, P.J. 1973. The Signy Island terrestrial reference sites: I. An introduction. *Br. Antarct. Surv. Bull.*, 33-34: 65-76.
- Webb, R. 1973. Reproductive behavior of mosses on Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 36: 61-77.
- Baker, J.H. 1972. The rate of production and decomposition of *Chorisodontium aciphyllum*. *Br. Antarct. Surv. Bull.*, 27: 123-129.
- Baker, J.H. and D.G. Smith. 1972. Bacteria in an Antarctic peat. *J. Appl. Bacteriol.*, 35: 589.
- Beck, J.R. and D.W. Brown. 1972. The biology of Wilson's storm petrel *Oceanites oceanicus* at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Sci. Rep.*, 69: 3-54.
- Bone, D.G. 1972. Aspects of the biology of the Antarctic amphipod *Bovallia gigantea* at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 27: 105-122.
- Edwards, J.A. 1972. Studies in *Colobanthus quitensis* and *Deschampsia antarctica*: V. Distribution, ecology and vegetative performance on Signy Island. *Br. Antarct. Surv. Bull.*, 28: 11-28.
- Hardy, P. 1972. Biomass estimates for some shallow water infaunal communities at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 31: 93-106.
- Horne, A.J. 1972. The ecology of nitrogen fixation on Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 27: 1-18.

- Kol, E. 1972. Snow algae from Signy Island, South Orkney Islands, Antarctica. *Ann. Hist.-nat. Mus. Natl. Hung.*, 64: 63-70.
- Robins, M.W. 1972. A new commensal hydroid from Antarctica. *Br. Antarct. Surv. Bull.*, 28: 75-81.
- Spaull, V.W. 1972. *Antarctenchus hooperi* n. sp. (Nematoda, Dolichodoridae) from Signy Island, South Orkney Islands, with erection of a new subfamily. *Nematologica*, 18: 353-8.
- Thurston, M.H. 1972. The crustacea amphipoda of Signy Island, South Orkney Islands. *Br. Antarct. Surv. Sci. Rep.*, 71: 1-127.
- Walker, A.J.M. 1972. Introduction to the ecology of the Antarctic limpet *Patinigera polaris* at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 28: 49-69.
- White, M.G. and M.W. Robins. 1972. Biomass estimates from Borge Bay, Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 31: 45-50.
- Mac Donald, J.W. and J.W.H. Conroy. 1971. Virus disease resembling puffinosis in the gentoo penguin *Pygoscelis papua* on Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 26: 80-82.
- Baker, J.H. 1970. Quantitative study of yeasts and bacteria in a Signy Island peat. *Br. Antarct. Surv. Bull.*, 23: 51-55.
- Baker, J.H. 1970. Yeasts, molds and bacteria from an acid peat on Signy Island. *Holdgate, M. W. (Ed.). Antarctic Ecology. Vol. 2. Academic Press Inc.: New York: 717-722.*
- Chambers, M.J.G. 1970. Investigations of patterned ground at Signy Island, South Orkney Islands: IV. Long-term experiments. *Br. Antarct. Surv. Bull.*, 23: 93-100.
- Everson, I. 1970. The population dynamics and energy budget of *Notothenia neglecta* at Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 23: 25-50.
- Heywood, R.B. 1970. Ecology of the fresh water lakes of Signy Island, South Orkney Islands: III. Biology of the copepod *Pseudoboeckella silvestri* (Calanoida, Centropagidae). *Br. Antarct. Surv. Bull.*, 23: 1-17.
- Smith, E.A. and R.W. Burton. 1970. Weddell seals of Signy Island. *Holdgate, M. W. (Ed.). Antarctic Ecology. Vol. 1. Academic Press Inc.: New York: 415-428.*
- White, M.G. 1970. Aspects of the breeding biology of *Glyptonotus antarcticus* (Crustacea, Isopoda) at Signy Island, South Orkney Islands. *Holdgate, M. W. (Ed.). Antarctic Ecology. Vol. 1. Academic Press Inc.: New York: 279-285.*

1969

- Goodman, B.J.A. 1969. A physical, chemical and biological investigation of some fresh water pools on Signy Island, South Orkney Islands, *Pseudoboeckella silvestri*, *Branchinecta gaini*. *Br. Antarct. Surv. Bull.*, 20: 1-31.
- Hughes, A.M. and B.J.A. Goodman. 1969. *Neohyadesia signyi* (Hyadesidae, Acarina): a new genus and species from Signy Island, South Orkney Islands. *Br. Antarct. Surv. Bull.*, 22: 39-48.
- Jones, N.V. and I.C. Williams. 1969. The nematode and acanthocephalan parasites of the sheathbill *Chionis alba* at Signy Island, South Orkney Islands, and a summary of host parasite relationships in the sheathbill. *J. Helminthol.*, 43: 59-67.
- Jones, N.V. and I.C. Williams. 1969. *Paramonostomum signiensis* new species (Trematoda, Notocotylidae) from the sheathbill *Chionis alba* at Signy Island, South Orkney Islands. *J. Helminthol.*, 43: 53-57.