

February 1986

No 70

BRITISH ANTARCTIC SURVEY

BULLETIN



CAMBRIDGE

PUBLISHED BY THE BRITISH ANTARCTIC SURVEY
NATURAL ENVIRONMENT RESEARCH COUNCIL

BRITISH ANTARCTIC SURVEY

Director: DR R. M. LAWS CBE, FRS

Heads of Divisions

Atmospheric Sciences: DR M. J. RYCROFT

Earth Sciences: DR C. W. M. SWITHINBANK

Life Sciences: W. N. BONNER

Managing Editor: DR J. MITTON

The *Bulletin* is published quarterly, in February, May, August and November.

1986 annual subscription: UK £42

Overseas £45

Individual issues: £10.50 each.

Only papers concerned with the work of the British Antarctic Survey can be published in the *Bulletin*, but correspondence on papers appearing in the *Bulletin* or on related topics will also be considered.

The authors of all signed papers are alone responsible for the opinions expressed in them.

Papers to be considered for publication and editorial enquiries should be sent to the Managing Editor of the *Bulletin*, British Antarctic Survey, High Cross, Madingley Road, Cambridge CB3 0ET, England. Telephone: Cambridge (0223) 61188. Telex: 817725 BASCAM G.

Orders for subscriptions and individual copies should be sent with payment to: The Distribution Centre, Blackhorse Road, Letchworth, Hertfordshire SG6 1HN, England. Telephone: Letchworth (04626) 72555. Telex: 825372 TURPIN G.

Copyright © 1986 British Antarctic Survey
ISSN 0007-0262

BRITISH ANTARCTIC SURVEY

BULLETIN

No. 70 February 1986

CONTENTS

	PAGE
Upper Jurassic belemnites from the Orville Coast, Western Antarctica, and their palaeobiogeographical significance J. MUTTERLOSE	1
Early Jurassic fossils from central Alexander Island and their geological setting M. R. A. THOMPSON and T. H. TRANTER	23
An aeromagnetic study of the Staccato Peaks area, Alexander Island, Antarctica I. A. CRAWFORD, R. W. GIRDLER and R. G. B. RENNER	41
The Jinks Island Complex: magma mixing in a high-level intrusion from the Biscoe Islands, Antarctic Peninsula A. B. MOYES	55
<i>Olcostephanus</i> (Ammonitina) from the Fossil Bluff Formation, Alexander Island, and its stratigraphical significance P. J. HOWLETT	71
A method for the extraction and analysis of solutes from rock samples with some comments on the implications for weathering studies: an example from Signy Island, Antarctica K. J. HALL, A. A. VERBEEK and K. I. MEIKLEJOHN	79
Biological and ecological notes on <i>Neohyadesia signyi</i> (Acari: Astigmata) R. SCHENKER	85
Book Review	93

CAMBRIDGE: PUBLISHED BY THE BRITISH ANTARCTIC SURVEY
NATURAL ENVIRONMENT RESEARCH COUNCIL